

WASHINGTON, DC 20006

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Viriginia 22313-1450
www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 08/27/2001 011037 1605 09/938,551 Hiroshi Kobayashi EXAMINER 23850 11/26/2004 ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP CADUGAN, ERICA E 1725 K STREET, NW PAPER NUMBER ART UNIT **SUITE 1000**

> 3722 DATE MAILED: 11/26/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Λ
	Application No.	Applicant(s)
	09/938,551	KOBAYASHI, HIROSHI
Office Action Summary	Examiner	Art Unit
	Erica E Cadugan	3722
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep. If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be by within the statutory minimum of thirty (30) d will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	timely filed ays will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 31 A	August 2004.	
, 	s action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11,	453 O.G. 213.
Disposition of Claims		
4) Claim(s) 1-3 is/are pending in the application.		
4a) Of the above claim(s) is/are withdrawn from consideration.		
5) Claim(s) is/are allowed.	·	•
6)⊠ Claim(s) <u>1-3</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction and/	or election requirement.	
Application Papers		·
9)☐ The specification is objected to by the Examin	er.	
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.		
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correct	,	
11)☐ The oath or declaration is objected to by the E	xaminer. Note the attached Office	ce Action or form PTO-152.
Priority under 35 U.S.C. § 119		•
12) △ Acknowledgment is made of a claim for foreign a) △ All b) ☐ Some * c) ☐ None of: 1. △ Certified copies of the priority documents.	its have been received.	
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 		
application from the International Burea	· ·	ved III tilis Ivational Stage
* See the attached detailed Office action for a list		ved.
Attachment(s)		
1) Notice of References Cited (PTO-892)	4) Interview Summa	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08	Paper No(s)/Mail 5) Notice of Informa 6) Other:	Date I Patent Application (PTO-152)
Paper No(s)/Mail Date	رة المالية الم	

Application/Control Number: 09/938,551 Page 2

Art Unit: 3722

DETAILED ACTION

Claim Objections

1. Claim 2 is objected to because of the following informalities: in claim 2, line 2, it appears that "in" should be deleted. Appropriate correction is required.

Claim Rejections - 35 USC § 102

- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 3. Claims 1-3 are rejected under 35 U.S.C. 102(b) as being anticipated by JP-2584278-Y2 (hereinafter '278).

'278 teaches a punch press having a press frame (see Figure 1). Note that upper and lower "cartridges" 30, upper ones of which contain punches and lower ones of which contain dies, are individually and independently exchanged via the individual exchanger 39 along upper and lower paths between the storage area 32 and the upper turret 9 and lower turret 7, respectively (see Figure 1 and English Abstract). Specifically note that while the exchanger 38 shown in Figure 2 exchanges die sets 29 containing both upper and lower cartridges via the actuation of a piston rod 89 that actuates upper and lower die contacting parts 79 at the same time via connection member 85, the exchanger 39 shown in Figure 3 exchanges upper and lower cartridges 30 individually via individual actuation cylinders 88P and 88D (see Figures 2-3).

Re claim 1, note also that firstly, the cartridges are stored "inside" the press frame in the storage area 32 (Figure 1). Secondly, note that the turrets 9, 7, in which the cartridges are "stored" are located "inside" the press frame (see Figure 1).

Application/Control Number: 09/938,551 Page 3

Art Unit: 3722

Re claim 2, note, for example, that the longitudinal direction of the press frame appears to extend from the area of the press labeled "3" to the area of the press labeled "32", i.e., generally in the X direction as viewed in Figure 1. Further note that the cartridges placed in the storage area 32 and/or the turrets 7, 9 are still on the claimed paths, noting that the path involves many legs, i.e., a leg to remove the cartridge from the area 32, a leg to move the cartridge from the area 32 to the area in front of the turrets 7, 9, a leg to move the cartridge from the area in front of the turrets to a position within the turrets, and a leg along which the cartridges are moved when the turrets are rotated. Note that the turrets each store a plurality of cartridges around the periphery thereof at different positions in the aforedescribed longitudinal direction of the press frame, and also note that the area 32 also stores a plurality of cartridges at different positions in the aforedescribed longitudinal direction of the press frame.

Re claim 3, note that the legs of the path extending between the area 32 and the turrets 7, 9, are "straight-lined". Also note that the individual exchanger 39 engages the cartridges, and also moves along a straight path (see Figures 1 and 3, abstract).

Response to Arguments

4. Applicant's arguments with respect to claims 1-3 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 09/938,551

Art Unit: 3722

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Faxing of Responses to Office Actions and Contact Information

6. In order to reduce pendency and avoid potential delays, TC 3700 is encouraging FAXing of responses to Office Actions directly into the Group at (703) 872-9306. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by applicants who authorize charges to a PTO deposit account. Please identify the examiner and art unit at the top of your cover sheet. Papers submitted via FAX into TC 3700 will be promptly forwarded to the examiner.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erica Cadugan whose telephone number is (571) 272-4474. The examiner can normally be reached on Monday through Thursday from 7:30 a.m. to 5:00 p.m., and every other Friday from 7:30 a.m. to 4:00 p.m. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, A.L. Wellington can be reached at (571) 272-4483.

Application/Control Number: 09/938,551 Page 5

Art Unit: 3722

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Erica E Cadugan Primary Examiner

Art Unit 3722